

THIS DOCUMENT MUST BE  
SIGNED IN BLUE INK

DATE

Andrew Mora  
Environmental Compliance Inspector  
City of San Luis Obispo  
879 Morro St.  
San Luis Obispo, CA 93401

Subject: Semi-Annual Self-Certification – Printed Circuit Board Laboratory

Dear Andrew:

As required in Part 2 of our Class 1 – Significant Industrial Waste Discharge Permit #259S effective January 1, 2016. From DATE to DATE the Printed Circuit Board lab has had little activity. No waste was picked up or disposed of during this time period.

If you have any questions, or require any additional information, please contact me at the number listed below.

Best regards,

Kim Porter, CPSWQ  
Environmental Quality Management Specialist  
Environmental Health & Safety  
(805) 756-6664  
kbusby@calpoly.edu

## Self-Monitoring Certification Statement Zero Discharging Categorical Industrial Users

California Polytechnic State University has been identified as a Zero Discharging Categorical Industrial User (CIU).

A facility determined to be a Zero Discharging CIU must submit the following certification statement, signed in accordance with the signatory requirements stipulated in Chapter 13.08, Section 230 of the City of San Luis Obispo Municipal Code. This certification must be submitted with each Self Monitoring Report (SMR).

"I certify under penalty of law that this document and all attachments were prepared under my direct supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for managing compliance with the Categorical Pretreatment Standards under 40 CFR413, I certify that to the best of my knowledge and belief that during the period from DATE, to DATE the facility described as California Polytechnic State University did not discharge to the sanitary sewer any wastewater federally regulated under 40 CFR Part 405 through Part 471, or any hazardous waste as defined in Section 25117 of the Health and Safety Code. The facility complied with all applicable Pretreatment Standards and requirements during this reporting period; and the facility never discharged categorical wastewater on any given day during this reporting period. This information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

\_\_\_\_\_  
Signature of Authorized Representative

Environmental Quality Management Specialist  
Title (print)

Kim Porter, CPSWQ  
Name (print)

January 12, 2017  
Date

